

CARE



CARE



**Health, Independence, Joy**

## **01 Mobility**

CARE 2011 - 2012



## FACTORY

To ensure the healthy, independent and joy life in our homes and communities, we specialize in supplying home healthcare medical equipments under our brand CARE. Our products largely focus on the home care field, helping the elderly or disabled retain their independence and dignity in the daily life.

Our product ranges include mobility products, bathroom safety products, respiratory products, therapeutic support products, orthopaedics support products, hot&cold therapy products and home care beds.

We only supply quality products. To ensure that our products are recognized and accepted in your market, our manufacturing facilities have passed the quality authentication of ISO9001, ISO13485, CE and FDA.

We highly look forward to cooperation and opportunities with your side. Basing on our capacity and ability, we sincerely hope to be your home medical equipment supplier here in China, and also expect to establish a strong and long-term business relation with you.





ISO9001 ISO13485



**Straight Rolling Test**



**Capacity Test**



**Non Metal Test**



**Corrosiveness Test**



**Fatigue Test**



**Sloping Test**



**Material Test**



**Impact Experimentation**



**Elevating Test**



**Mobility** →












**CARE**

- 01 Wheelchair
- 02 Electric wheelchair
- 03 Commode
- 04 Shower chair
- 05 Walker
- 06 Rollator
- 07 Walking stick & crutch
- 08 Hospital bed
- 09 Mobility scooter and power wheelchair
- 10 Wheelchair & scooter ramp
- 11 Lift chair



**CCW01**   
 Chromed steel frame  
 fixed armrest, fixed footrest  
 solid castor, solid rear wheel

**MAIN PARAMETERS (CM)**

MODEL NO.										CTNS 20' FCL	CTNS 40' HQ FCL
CCW01	60	41	59	20	51	87	100	94x23x89	17.4 19.6	144	372
CCW06	55	35	55	15	47	75	75	88x23x89	16.2 18.4	164	410
CCW07	60	41	59	20	50	87	100	94x25x89	17.3 19.5	132	336
CCW02	60	41	59	20	50	87	100	94x23x89	17.3 19.5	144	372
CCW03	60	41	59	20	50	87	100	94x23x89	17.3 19.5	144	372



**CCW06**

Children type, chromed steel frame, fixed armrest  
fixed footrest, solid castor, solid rear wheel



**CCW07**

Powder coating steel frame, fixed armrest, fixed  
footrest, solid castor, solid rear wheel



**CCW02**

Chromed steel frame, powder coating cross bar, fixed  
armrest, fixed footrest, solid castor, solid rear wheel



**CCW03**

Chromed steel frame, fixed armrest, fixed footrest  
solid castor, solid rear wheel



**CCW94**  
Powder coating steel frame, double cross bar, fixed inclined armrest, fixed footrest, solid castor, solid rear wheel



**CCW09**  
Chromed steel frame, double cross bar, drop back handle with united brake, fixed armrest, fixed footrest, solid castor, pneumatic MAG rear wheel



**CCW05**  
Chromed steel frame, fixed armrest, fixed footrest, solid castor, solid MAG rear wheel



**CCW84**  
Powder coating steel frame, double cross bar, fixed armrest, fixed footrest, solid castor, solid rear wheel

**MAIN PARAMETERS (CM)**

MODEL NO.												
	W	D	H	H	H	H	(kg)	MM	NW	GW	CTNS 20' FCL	DTNS 40' HQ FCL
CCW94	61	41	59	20	49	87	100	94x23x89	17	19	144	372
CCW05	60	41	61	20	50	88	100	94x25x90	18.7	20.9	140	336
CCW09	60	41	40	15	45	89	100	82x28x72	14.6	16.7	168	387
CCW84	59	46	59	20	47	91	100	93x27x93	16	18	108	272
CCW11	60	41	59	20	47	91	100	94x28x92	17.4	19.6	108	272
CCW103	62	39	20	61	45	84	100	97x31x85	16.1	18.3	88	192
CCW08	61	41	61	20	47	91	100	94x28x92	18.7	20.9	108	272
CCW13	60	41	59	20	47	91	100	94x28x78	17.4	19.6	108	336





**CCW11** ▲

Chromed steel frame, double cross bar, fixed armrest  
fixed footrest, solid castor, solid rear wheel



**CCW103** ▲

Chromed steel frame, double cross bar, fixed armrest  
fixed footrest, pneumatic front wheel, solid rear castor



**CCW08** ▲

Chromed steel frame, double cross bar, fixed armrest  
fixed footrest, solid castor, solid MAG wheel



**CCW13** ▲

Chromed steel frame, double cross bar, drop back handle  
fixed armrest, fixed footrest, solid castor, solid rear wheel



**CCW14**

Powder coating steel frame, detachable armrest, detachable footrest, solid castor, solid rear wheel



**CCW16**

Chromed steel frame, detachable armrest, detachable footrest, PU castor, pneumatic rear wheel



**CCW15**

Chromed steel frame, detachable desk armrest, elevating footrest, PU castor, pneumatic rear wheel



**CCW17**

Powder coating steel frame, detachable armrest, detachable footrest, PU castor, pneumatic MAG wheel

**MAIN PARAMETERS (CM)**

MODEL NO.										CTNS 20" FCL	CTNS 48" HQ FCL
CCW14	60	41	59	20	50	90	100	80x28x91	17.5 19.5	126	340
CCW16	60	41	61	20	50	90	100	80x28x91	18 20	126	340
CCW15	60	41	61	20	50	90	100	80x28x91	16.9 19.1	126	340
CCW17	60	41	61	20	50	90	100	80x28x91	20 22	126	340
CCW18	58	41	30	20	50	89	100	71x25x90	14 16.2	180	406
CCW20	62	43	20	20	50	94	100	74x26x78	13 15.2	216	432
CCW19	60	41	59	20	50	87	100	80x24x89	17.6 19.8	172	390
CCW85	60	41	61	20	51	89	100	80x24x91	19.1 21.3	172	390



**CCW18** ▲

Powder coating steel frame, detachable desk armrest, detachable footrest, solid castor, pneumatic MAG wheel



**CCW20** ▲

Chromed steel frame, fixed armrest, detachable footrest, drop back handle with united brake, solid wheel



**CCW19** ▲

Chromed steel frame, fixed armrest, detachable footrest, solid castor, solid rear wheel



**CCW85** ▲

Powder coating steel frame, fixed armrest, detachable footrest, solid castor, solid MAG wheel



**CCW22** ▲

Powder coating steel frame, flip-up armrest  
detachable footrest, solid castor, solid MAG wheel



**CCW27** ▲

Chromed steel frame, detachable desk armrest  
elevating footrest, solid castor, pneumatic MAG wheel



**CCW23** ▲

Powder coating steel frame, flip-up desk armrest  
detachable footrest, solid castor, solid rear wheel



**CCW24** ▲

Chromed steel frame, flip-up desk armrest, detachable  
footrest, solid castor, quick release pneumatic  
rear wheel, drop back handle

**MAIN PARAMETERS (CM)**

MODEL NO.										CTNS 20' FCL	CTNS 40' HQ FCL
CCW22	57	41	61	20	50	93	100	82x28x95	19.7 21.9	130	310
CCW27	58	41	40	20	50	91	100	78x28x91	17.2 19.4	180	366
CCW23	56	41	59	20	50	90	100	83x28x95	17.9 20.1	130	310
CCW24	58	41	61	15	50	93	100	80x28x76	16 18	168	402
CCW25	71	56	60	20	54	94	125	83x35x93	22.6 24.8	112	245
CCW26	70	51	60	20	50	92	125	80x28x93	20 22	130	310
CCW104	78	61	30	20	50	96	125	86x37x83	19.3 21.5	144	324
CCW105	80	61	61	20	50	96	125	86x37x83	22.2 24.4	100	240



**CCW25**

Powder coating steel frame, 22" seat width, flip-up armrest, detachable footrest, rubber foam castor, pneumatic MAG wheel



**CCW26**

Chromed steel frame, 20" seat width, detachable armrest, detachable footrest, solid castor, pneumatic rear wheel



**CCW104**

Powder coating steel frame, detachable desk armrest, detachable footrest, 24" seat width, foldable push bar, solid castor, pneumatic MAG wheel



**CCW105**












Powder coating steel frame, detachable desk armrest, detachable footrest, 24" seat width, foldable push bar, solid castor, pneumatic rear wheel



**CCW04** 

Chromed steel frame, fixed armrest, fixed footrest, solid castor, solid rear wheel, hard seat cushion

**MAIN PARAMETERS (CM)**

MODEL NO.							 (kg)	 DIM	 NW / GW	 CTNS 20' FCL	 CTNS 40' HQ FCL
CCW04	61	41	59	20	50	89	100	94x31x93	18.6 / 20.8	108	220
CCW123	60	41	61	20	50	90	100	80x28x91	19.1 / 21.2	126	340
CCW10	60	41	59	20	51	91	110	94x28x93	20 / 22	108	220
CCW21	60	41	61	15	51	89	120	94x28x89	19 / 21	120	248



**CCW123**

Powder coating steel frame, detachable armrest, detachable footrest, solid castor, solid MAG rear wheel



**CCW10**

Chromed steel frame, fixed armrest, Fixed footrest, solid castor, solid rear wheel, Hard cushion, double cross bar



**CCW21**

Chromed steel frame, Detachable desk armrest, fixed footrest, Solid castor, solid rear wheel



**CCW87**

Aluminum chair frame, reclining high back, adjustable headrest, detachable armrest, elevating footrest  
solid castor, PU MAG wheel, adjustable seat angle, safety belt

**MAIN PARAMETERS (CM)**

MODEL NO.	←→	←→	↻	↻	↻	↻	⚠	▭	⚖	CTNS	CTNS
	52	32	40	15	50	118	75	77x40x95	20.8 23	20° FCL	40° HQ FCL
CCW87	52	32	40	15	50	118	75	77x40x95	20.8 23	90	223
CCW86	52	38	40	15	50	118	75	84x40x95	18.3 20.6	90	223
CCW120	43	30	30	15	48	103	100	80x41x89	16.9 18.4	72	177





**CCW86** ▲

Aluminum chair frame, adjustable headrest, detachable armrest, fixed footrest, solid castor, pneumatic MAG wheel, adjustable seat angle, safety belt



**CCW120** ▲

Aluminum chair frame, reclining high back, adjustable headrest, solid castor, PU MAG wheel, adjustable seat and adjustable backrest with 5-pieces seat belt



**CCW88**

Powder coating steel frame, reclining high back, adjustable and detachable headrest detachable pillow, adjustable seat angle height adjusted armrest, elevating footrest PU castor, PU MAG wheel, united brake



**CCW89**

Powder coating steel frame, reclining high back, adjustable and detachable headrest detachable pillow, adjustable seat angle, height adjusted armrest, elevating footrest PU castor, quick release pneumatic MAG wheel, united brake

**MAIN PARAMETERS (CM)**

MODEL NO.										CTNS 20' FCL	CTNS 40' HQ FCL
CCW88	53	46	30	20	53	118	150	82x61x84	35.5-37.7	70	148
CCW89	67	46	61	20	53	118	150	88x67x84	38.4-40.6	58	132
CCW29	60	41	60	20	50	120	90	98x35x89	23.6-26	92	230
CCW28	60	41	60	20	50	120	100	95x34x93	24.3-26.4	92	210
CCW106	56	41	40	15	50	108	100	83x33x109	20.2-22.4	98	232
CCW31	68	46	61	20	50	127	100	98x35x89	16.5-18.7	92	230



**CCW29**

Powder coating steel frame, reclining high back, detachable armrest, elevating footrest, solid castor, solid rear wheel



**CCW28**

Powder coating steel frame, reclining high back, movable armrest, elevating footrest, solid castor, solid rear wheel



**CCW106**

Chromed steel frame, reclining high back, flip-up desk armrest, elevating footrest, solid castor, pneumatic MAG wheel, foldable push bar



**CCW31**

Aluminum chair frame, reclining high back, adjustable and detachable headrest, detachable armrest, elevating footrest, solid castor, pneumatic rear wheel, plastic hand rim





**CCW64**

Children type aluminum chair frame, flip-up armrest  
fixed footrest, solid castor, pneumatic rear wheel  
drop back handle

**MAIN PARAMETERS (CM)**

MODEL NO.										CTNS 20' FCL	CTNS 40' HQ FCL
CCW64	51	35	57	15	48	89	75	90x33x73	13.8 16	148	315
CCW107	38	32	12.5	10	45	82	100	58x39x26	6.2 8.2	496	1200
CCW108	38	32	15	10	45	84	100	71x39x27	6 7.5	357	864
CCW109	38	32	15	12.5	45	87	100	54x20x58	7 8.5	472	864
CCW66	50	38	15	12.5	45	90	100	48x34x66	7 8.5	270	670



**CCW107** ▲

Mini foldable portable aluminum chair frame  
flip-up armrest, solid castor, pedal-locking  
rear MAG wheel, seat belt, leg strap




**CCW108** ▲

Mini foldable portable aluminum chair frame, flip-up  
armrest, solid castor, pedal-locking rear MAG wheel  
seat belt, leg strap



**CCW109** ▲

Mini foldable portable aluminum chair frame, foldable  
backrest, flip-up armrest, flip-up foot plate, solid castor,  
pedal-locking PU rear wheel, seat belt, calf strap



**CCW66** ▲

Transit type foldable & portable aluminum chair frame  
flip-up armrest, solid castor, solid MAG wheel  
locking united brake, with seat belt



**CCW59** ▲

Aluminum chair frame, flip-up armrest, fixed footrest, solid castor, pneumatic rear wheel, drop back handle



**CCW110** ▲

Children type, aluminum chair frame, fixed armrest, fixed footrest, solid castor, pneumatic rear wheel, drop back handle with drum brake.



**CCW112** ▲

Aluminum lightweight chair frame, fixed armrest, flip-up footplate, solid castor, pneumatic MAG wheel



**CCW32** ▲

Aluminum chair frame, fixed armrest, solid castor, pneumatic rear wheel, fixed footrest, with united brake

**MAIN PARAMETERS (CM)**

MODEL NO.	→	→	↻	↻	↻	↻	(kg)	△ DIM	▲ NW GW	CTNS 20" FCL	CTNS 40" HG FCL
CCW59	57	41	61	15	50	91	100	94x33x73	15 17.2	126	284
CCW112	53	30	52	15	44	85	75	78x28x68	12.2 14.4	186	444
CCW110	62	41	58	15	48	90	100	77x30x91	11.3 13.5	108	272
CCW32	63	41	56	15	46	88	100	92x29x89	13 15	108	272
CCW111	61	41	59	20	49	87	100	103x25x91	11.7 13.7	144	372
CCW39	61	41	60	20	45	89	100	94x29x92	12.7 14.9	108	272
CCW91	61	46	58	15	45	87	100	96x27x92	11.2 13.2	108	272
CCW41	61	41	57	15	44	88	100	94x28x92	13 15	124	272



**CCW111** ▲

Aluminum lightweight chair frame, fixed inclined armrest, solid castor, pneumatic rear wheel, fixed footrest



**CCW39** ▲

Aluminum lightweight chair frame, fixed armrest, fixed footrest, solid castor, pneumatic rear wheel



**CCW91** ▲

Aluminum lightweight chair frame, fixed armrest, fixed footrest, solid castor, pneumatic rear wheel



**CCW41** ▲

Aluminum lightweight chair frame, fixed inclined armrest, fixed footrest, solid castor, pneumatic rear wheel



**CCW38**

Aluminum lightweight chair frame, fixed armrest, fixed footrest, solid castor, pneumatic rear wheel, plastic hand rim, drop back handle with united brake



**CCW37**

Aluminum lightweight chair frame, fixed armrest, fixed footrest, solid castor, pneumatic rear wheel, drop back handle, with drum brake



**CCW33**

Aluminum lightweight chair frame, fixed armrest, fixed footrest, solid castor, pneumatic rear wheel

**MAIN PARAMETERS (CM)**

MODEL NO.	Wheelchair	Wheelchair	Wheelchair	Wheelchair	Wheelchair	Wheelchair	Weight	DIM	NW, GW	CTNS 20' FCL	CTNS 40' HQ FCL
CCW38	63	41	56	15	46	88	100	94x28x76	13.2 15.4	164	300
CCW37	63	41	56	15	46	88	100	94x28x76	13.6 15.8	164	300
CCW33	63	41	56	15	46	88	100	94x28x92	13 15	108	272
CCW43	61	41	51	15	47	89	100	83x28x90	12.6 14.8	128	324
CCW65	47	37	20	12.5	45	88	100	75x25x66	6.7 8.5	228	560
CCW44	58	41	40	15	47	88	100	80x28x90	10 12	140	340
CCW45	58	41	40	15	47	89	100	80x28x90	12 15	140	340
CCW42	61	43	51	15	47	93	100	87x28x78	11 13	156	318
CCW47	56	41	55	15	50	88	100	80x28x91	13 15	140	294





**CCW43** ▲

Aluminum lightweight chair frame, fixed armrest, fixed footrest, solid castor, pneumatic rear wheel with drum brake



**CCW65** ▲

Mini aluminum chair frame, solid castor, solid PU MAG wheel, flip-up armrest, flip-up footplate, drop back handle, locking united brake, with seat belt



**CCW44** ▲

Aluminum lightweight chair frame, fixed armrest, fixed footrest, solid castor, pneumatic MAG wheel



**CCW45** ▲

Aluminum lightweight chair frame, fixed armrest, fixed footrest, solid castor, pneumatic MAG wheel, with united brake



**CCW42** ▲

Super lightweight, powder coating, Pu fixed armrest, fixed footrest, solid castor, Pneumatic rear wheel, drop back handle



**CCW47** ▲

Aluminum frame, flip up armrest, Detachable footrest, solid castor, Pneumatic wheel



**CCW36**

Aluminum lightweight chair frame, fixed armrest  
fixed footrest, solid castor, pneumatic rear wheel  
drop back handle, with drum brake

**CCW101**

Aluminum lightweight chair frame, fixed armrest  
fixed footrest, solid castor, pneumatic rear MAG wheel



**MAIN PARAMETERS (CM)**

MODEL NO.											CTNS 20" FCL	CTNS 40" HQ FCL
	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(kg)	Dim	NW	GW		
CCW36	61	41	40	15	46	88	100	82x28x73	12	14	176	410
CCW101	61	46	30	20	50	87	100	99x26x86	9.6	11.8	108	272
CCW34	61	41	40	15	46	88	100	87x28x89	10.9	13.1	108	272
CCW90	59	46	30	15	49	90	100	79x25x91	11	13	140	324
CCW51	56	41	40	15	50	89	100	78x28x76	13.9	16.1	186	378
CCW93	58	41	40	15	50	87	100	78x28x76	13.9	16.1	186	378
CCW102	60	41	20	20	48	98	100	63x28x79	9.9	11.9	200	485
CCW53	56	41	40	15	49	90	100	84x28x90	13	15	108	272



**CCW34**

Aluminum lightweight chair frame, fixed armrest, fixed footrest solid castor, pneumatic rear MAG wheel, with united brake



**CCW90**

Aluminum lightweight chair frame, fixed armrest, flip-up footplate, solid castor, pneumatic rear MAG wheel



**CCW51**

Aluminum chair frame, flip-up desk armrest, detachable footrest, solid castor, pneumatic rear-MAG wheel drop back handle, with drum brake



**CCW93**

Aluminum chair frame, flip-up inclined armrest, detachable footrest, solid castor, PU rear MAG wheel, drop back handle with united brake



**CCW102**

Aluminum chair frame, fixed armrest, detachable footrest solid castor, solid rear MAG wheel, drop back handle



**CCW53**

Aluminum chair frame, flip-up desk armrest fixed footrest, solid castor, pneumatic rear wheel





**CCW92**

Powder coating steel frame, flip-up armrest, detachable footrest, solid castor, solid MAG wheel



**CCW46**

Aluminum frame, flip-up desk armrest, detachable footrest, solid castor, pneumatic rear wheel, with united brake



**CCW49**

Aluminum frame, fixed armrest, detachable footrest, solid castor, PU rear wheel



**CCW50**

Aluminum frame, flip-up desk armrest, fixed footrest, solid castor, pneumatic rear wheel

**MAIN PARAMETERS (CM)**

MODEL NO.											
	58	41	56	15	50	87	100	84x28x78	14 16.2	140	324
CCW92	58	41	56	15	50	87	100	84x28x78	14 16.2	140	324
CCW46	56	41	56	15	50	89	100	82x28x90	13.7 15.9	108	272
CCW49	63	41	61	20	46	88	100	80x28x91	14 16	108	272
CCW50	58	41	55	15	49	85	100	94x28x89	13 15	108	272
CCW58	58	41	61	15	50	90	100	80x28x91	14.7 16.9	108	272
CCW95	64	41	61	15	51	93	100	85x38x75	17.6 20.7	135	324
CCW60	61	41	61	15	51	93	100	84x33x93	17 19	112	264
CCW61	61	41	40	15	51	91	100	78x33x93	15.7 17.7	108	272



**CCW58** ▲

Aluminum frame, flip-up desk armrest, detachable footrest, solid castor, quick release pneumatic rear wheel



**CCW95** ▲

Aluminum frame, drop back handle with locking drum brake flip-up inclined armrest, height-adjustable armrest pad elevating footrest, solid castor, quick release pneumatic rear wheel, anti wheel



**CCW60** ▲

Aluminum frame, flip-up desk armrest, height-adjustable armrest pad, elevating footrest, solid castor, quick release pneumatic rear wheel, anti wheel



**CCW61** ▲

Aluminum frame, flip-up desk armrest, height-adjustable armrest pad, detachable footrest, solid castor pneumatic MAG wheel, anti wheel



**CCW55**

Aluminum chair frame, flip-up & height-adjustable desk armrest detachable footrest, solid castor, quick release PU MAG wheel, with anti wheel, adjustable footplate



**CCW62**

Adjustable aluminum chair frame, flip-up inclined armrest, detachable footrest, solid castor, pneumatic rear wheel



**CCW56**

Adjustable aluminum chair frame, flip-up & height-adjustable inclined armrest, detachable footrest, solid castor, quick release pneumatic rear wheel, with carrying wheel and anti wheel



**CCW54**

Aluminum chair frame, flip-up & height-adjustable inclined armrest, detachable footrest, solid castor quick release pneumatic rear wheel, with carrying wheel and anti wheel

**MAIN PARAMETERS (CM)**

MODEL NO.	W	D	H	H1	H2	H3	W1	DIM	NW GV	CTNS 20' FCL	CTNS 40' HQ FCL
CCW55	61	41	61	15	52	93	100	73x33x93	17.5 19.2	92	224
CCW62	58	41	61	15	51	87	100	83x28x90	16.2 18.4	126	282
CCW56	60	41	61	15	51	87	100	84x33x93	16.2 18.4	126	282
CCW54	66	48	61	15	50	90	100	84x33x93	15.2 17.8	112	264
CCW96	67	46	60	17.5	50	93	100	76x32x94	20.4 22.6	126	282
CCW97	59	41	61	15	50	90	100	84x33x93	16.4 20.2	112	264
CCW98	68	46	60	15	50	91	100	77x30x92	17.9 20.1	108	272
CCW99	65	41	61	17.5	50	90	100	80x28x91	14 16.2	126	282



**CCW96** ▲

Aluminum chair frame, flip-up & height-adjustable inclined armrest, detachable elevating footrest, PU castor, quick release PU rear wheel, with anti wheel adjustable footplate



**CCW97** ▲

Aluminum chair frame, flip-up & height-adjustable inclined armrest, detachable footrest, solid castor, quick release pneumatic rear wheel, with carrying wheel and anti wheel adjustable footplate, locking drum brake



**CCW98** ▲

Aluminum chair frame, flip-up & height-adjustable inclined armrest, detachable footrest, PU castor, quick release PU rear wheel, locking drum brake with anti wheel, adjustable footplate



**CCW99** ▲

Aluminum chair frame, flip-up & height-adjustable inclined armrest, detachable footrest, PU castor, quick release pneumatic rear wheel, with carrying wheel and anti wheel adjustable footplate





**CCW57**

Aluminum chair frame, flip up desk armrest,  
Elevating footrest, solid castor,  
Quick release pneumatic rear wheel



**CCW206**

Aluminum light weight chair frame, fixed armrest  
flip-up footrest, solid castor, drop back handle  
locking drum brake



**CCW115**

Aluminum light weight chair frame, fixed armrest, flip up footrest  
solid castor, pneumatic rear MAG wheel, drop back handle  
locking drum brake



**CCW114**

Aluminum lightweight chair frame, fixed armrest  
flip-up footplate, solid castor, pneumatic rear  
MAG wheel

**MAIN PARAMETERS (CM)**

MODEL NO.										CTNS 20' FCL	CTNS 40' HQ FCL
CCW57	58	41	50	15	50	90	110	80x28x91	14 16	126	260
CCW206	65	46	30	15	50	87	100	72x30x72	11.5 13	168	384
CCW115	60	46	61	15	48	90	100	71x28x71.5	9.5 11	192	441
CCW114	59	46	30	15	49	90	100	72x25x76	11 13	140	324
CCW205	70	46	58	15	49	87	100	82x28x76	11.5 13	168	401
CCW113	64	41	61	15	51	93	100	85x38x75	17.6 20.7	135	324
CCW204	58	46	30	15	48	94	100	72x28x72	10.6 12	192	441
CCW116	61	46	51	15	49	92	100	82x28x76	12.3 14	168	370





**CCW205** ▲

Aluminum light weight chair frame, fixed armrest, flip-up footrest  
solid castor, pneumatic rear wheel, plastic hand rim, locking  
drum brake



**CCW204** ▲

Aluminum light weight chair frame, fixed armrest  
fixed footrest, solid castor, pneumatic rear MAG-  
wheel, drop back handle, locking drum brake



**CCW116** ▲










Aluminum light weight chair frame, fixed armrest  
fixed footrest, solid castor, pneumatic rear wheel  
drop back handle, locking drum brake





CCW69 

**MAIN PARAMETERS (CM)**

MODEL NO.										CTNS 20' FCL	CTNS 40' HQ FCL
CCW69	67	38	61	10	46	77	100	77x61x50	9.6 11.8	108	230
CCW67	66	36	59	10	48	72	100	87x36x73	10.8 13	120	240
CCW68	60	36	59	10	48	72	100	87x36x73	11.6 13.6	120	240
CCW70	60	36	59	10	48	72	100	87x36x73	13 15	120	240
CCW118	60	36	60	10	44	77	100	87x36x79	12.4 14.5	120	240



CCW67 ▲



CCW118 ▲



CCW68 ▲



CCW70 ▲





CCW201



CCW202



CCW203

MAIN PARAMETERS (CM)

MODEL NO.	Wheelchair	Wheelchair	Wheelchair	Wheelchair	Wheelchair	Wheelchair	Wgt	DIM	NW GW	CTNS 20' FCL	CTNS 40' HQ FCL
CCW201	66	36	61	10	52	81	100	78x61x57	10.1 12.1	108	230
CCW202	66	36	61	10	52	84	100	76x61x54	10 12	108	230
CCW203	60	36	61	10	48	76	100	87x36x79	11.7 13.9	120	240
CCW119	61	38	60	10	49	79	100	85x61x57	13 15	108	230



CCW73 ▲



CCW119 ▲



CCW74 ▲



CCW76 ▲



CCW72 



CCW75 



CCW77 



CCW79



CCW80




CCW81



CCW82 



CCW83 





CCW71 



CCW78 



CCW200 



















# ELECTRIC WHEELCHAIR



## CPW11

Powder coating aluminum frame, detachable armrest, PU castor, pneumatic drive wheel, lithium battery, foldable chair frame

### MAIN PARAMETERS (CM)

MODEL NO.																		
CPW11	64	41	61	17	50	76	20	1-7	20AH	100WX2	3cm	8"	100	109x41x92	28.34.5		64	198
CPW12	60	41	61	17	50	76	20	1-7	20AH	100WX2	3cm	8"	100	106x36x78	24.8.27.8		64	198
CPW13	83	43	61	17	50	92	20	1-7	20AH	100WX2	3cm	8"	100	91x44x86	29.9.32.9		96	234
CPW14	63	43	61	17	50	92	20	1-7	20AH	100WX2	3cm	8"	100	91x44x86	29.9.32.9		96	234
CPW07	60	46	52	20	50	91	20	1-7	28AH	200WX2	4cm	8"	100	87x47x94	61.2.69.2		44	88



**CPW12**

Powder coating aluminum frame, detachable armrest, PU castor, pneumatic drive wheel, lithium battery, foldable chair frame



**CPW13**

Powder coating aluminum frame, detachable inclined armrest, detachable footrest, PU castor, pneumatic drive wheel, lithium battery, foldable chair frame



**CPW14**

Powder coating aluminum frame, detachable inclined armrest, detachable footrest, PU castor, pneumatic drive wheel, lithium battery, foldable chair frame



**CPW07**

Powder coating steel frame, detachable armrest, detachable footrest, rubber foam castor, inflat-free hollow drive wheel with hand rim, drop back handle, foldable chair frame



**CPW02**

Powder coating steel frame, drop back handle, flip-up PU desk armrest, detachable footrest, rubber foam castor and drive wheel, foldable chair frame



**CPW10**

Resin-coating steel frame, fixed armrest, detachable footrest, driving MAG wheel, rubber foam castor foldable chair frame



**MAIN PARAMETERS (CM)**

MODEL NO.																			
	63	46	31	20	50	92	20	1-6	28AH	200WX2	4cm	12°	110	83x44x89	58.63.2	50	104		
CPW02	63	46	31	20	50	92	20	1-6	28AH	200WX2	4cm	12°	110	83x44x89	58.63.2	50	104		
CPW10	62	46	30	20	48	91	20	1-6	28AH	200WX2	4cm	12°	100	84x45x108	49.57	36	78		
CPW04	63	46	31	20	53	94	20	1-6	28AH	200WX2	4cm	12°	125	83x63x74	49.57	46	96		
CPW03	58	41	31	20	50	91	20	1-6	28AH	200WX2	4cm	12°	110	84x44x81	58.2.66.2	50	104		
CPW15	67	43	35	22	58	100	25	1-8	38AH	250WX2	5cm	12°	120	90x74x100	75.85	28	90		
CPW01	65	43	35	22	58	100	25	1-8	28AH	250WX2	5cm	12°	120	82x69x79	64.8.72	50	104		



**CPW04** ▲

Powder coating steel frame, flip-up desk armrest, detachable footrest, rubber foam castor and drive wheel, foldable backrest



**CPW03** ▲

Powder coating steel frame, drop back handle, flip-up armrest, detachable footrest, rubber foam castor and drive wheel, foldable chair frame



**CPW01** ▲

Powder coating steel frame, adjustable armrest pad, detachable sideboard, detachable strong footrest, angle-adjustable backrest, rubber foam castor and drive rear wheel, with safety lamp



**CPW15** ▲

Powder coating steel frame, adjustable armrest pad, detachable sideboard, detachable elevating footrest, adjustable footplate, pneumatic castor and drive rear wheel, angle-adjustable backrest, with safety lamp, adjustable headrest

**CPW17**

Aluminum frame, drop back handle, flip-up armrest flip-up footrest, PU castor and rear wheel, lithium battery

**CPW18**

Resin-coating steel frame, adjustable and detachable armrest PAD, detachable sideboard, rubber foam castor and drive rear wheel, electrically lifting seat plate

**MAIN PARAMETERS (CM)**

MODEL NO.																	CTNS 20' FCL	CTNS 40' HQ PL
CPW17	81	46	38	17	52	92	25	1~6	20AH	100WX2	3cm	12"	100	80x35x85	23 25	126	252	
CPW18	82	43	31	20	52	92	20	1~6	38AH	200WX2	4cm	12"	110	80x68x64	75 85	63	168	
CPW19	87	43(46)	35	23	55	113	22	1~7	38AH	200WX2	5cm	12"	110	80x70x84	82 90	42	126	



**CPW19** 

Powder coating steel frame, adjustable and detachable armrest PAD, detachable footrest, rubber foam-caster and rear wheel, reclining backrest, with safety lights adjustable seat



CARE



**CPW16**

Power stand up wheelchair, powder coating frame, flip-up armrest with single controller for both driving & moving up seat. Strong rubber foam drive wheel, with comfort safety legrest belt.



**CPW05**


Aluminium chair frame, comfortable vehicle seat, recling high back, adjustable PU armrest, elevating footrest, rubber foam driving wheel

**MAIN PARAMETERS (CM)**

MODEL NO.	Seat Width	Seat Depth	Wheelchair Width	Wheelchair Depth	Wheelchair Height	Wheelchair Length	Wheelchair Weight	Motor	Battery	Wheel Size	Wheel Type	Weight	Dimensions	NW / GW	CTNS 20' FCL	CTNS 40' FCL
CPW16	83	44	31	20	57	105	25	1-6	38AH	200WX2	4cm	12"	100	118x86x89	80.4 95.2	54 144
CPW05	65	46	31	20	33	115	20	1-6	28AH	200WX2	4cm	12"	125	84x71x91	67.5 76.5	46 96
CPW08	60	41	31	20	50	92	20	1-6	28AH	200WX2	4cm	12"	100	72X64X85	55 63	81 216
CPW09	60	41	31	20	46	86	20	1-6	28AH	200WX2	4cm	12"	100	72X64X85	55 63	81 216





**CPW08** 

Resin-coating steel frame, adjustable armrest pad, detachable sideboard, detachable footrest, detachable backrest, rubber foam castor and drive rear wheel.



**CPW09** 

Resin-coating steel frame, flip-up armrest, detachable footrest, detachable backrest, rubber foam castor and drive rear wheel.





**CCWR06**

Foldable aluminum chair frame, reclining high back, detachable armrest, elevating footrest, solid castor, pneumatic rear wheel, soft commode seat

**MAIN PARAMETERS (CM)**

MODEL NO.											CTNS 20' FCL	CTNS 40' HQ FCL
CCWR06	64	46	61	20	52	122	100	97x41x86	17	19	90	184
CCWR03	64	44	58	20	49	87	100	94x29x89	19	21.2	120	244
CCWR01	64	44	58	20	53	129	100	107x33x78	25.6	29.3	90	184
CCWR07	64	44	58	20	55	129	100	92x34x92	25.6	28.7	90	184



**CCWR03**

Foldable chromed steel frame, soft commode seat, fixed armrest and fixed footrest, solid castor and solid rear wheel.



**CCWR01**

Foldable chromed steel frame, plastic commode seat, reclining high back, detachable armrest and elevating footrest, solid castor and rear wheel



**CCWR07**

Foldable chromed steel frame, plastic commode seat reclining high back with the handle under the armrest fixed armrest and elevating footrest, solid castor and rear wheel





**CCWR05**

Aluminum chair frame, PU commode seat, flip-up desk armrest, detachable footrest, solid castor, pneumatic rear wheel



**CCWR04**

Foldable aluminum chair frame, soft commode seat (fixed armrest and fixed footrest; solid castor pneumatic rear wheel)



**CCWR02**

Foldable chromed steel frame, plastic commode seat detachable armrest and footrest, solid castor and rear wheel




**CCWR08**

Foldable chromed steel frame, plastic commode seat flip-up armrest, detachable footrest, solid castor and rear wheel

**MAIN PARAMETERS (CM)**

MODEL NO.	→	→	→	→	→	→	(kg)	DIM	NW GW	CTNS 20' FCL	CTNS 40' HQ FCL
CCWR05	61	46	58	15	48	93	100	80x35x71	14.4 16.8	115	240
CCWR04	61	41	57	15	52	90	100	94x33x90	17 19	120	244
CCWR02	60	45	58	15	53	90	100	75x28x91	19.6 22.5	126	272
CCWR08	58	45	59	15	53	90	100	75x33x89	20.1 22.3	126	272
CCWC42	54	45	7.5	7.5	49	92	100	56x56x72	7 8.5	120	240
CCWC04	55	45	7.5	7.5	45-55	78-88	100	50x21x76	7 8.2	200	240
CCWC01	55	45	12.5	12.5	64	96	100	56x53x57	10.5 12	160	320



**CCWC42**

Aluminum chair frame, fixed armrest  
foldable footrest, solid rear castor  
with lock, plastic commode seat



**CCWC04**

Foldable chromed steel frame, fixed armrest  
solid rear castor with lock, plastic commode seat



**CCWC01**

Powder coating steel frame, flip down armrest  
detachable footrest, solid rear castor with lock  
plastic commode seat



**CCWR09**

Foldable chromed steel frame, soft commode seat, fixed armrest and footrest, solid castor and solid rear wheel



**CCWR10**

Aluminum frame, high adjustable backrest, seat frame and head rest, foldable PU armrest, angle adjustable



**CCWC02**

Stainless steel chair frame, detachable armrest and footrest, rear castor with lock, plastic commode seat



**CCWC21**

Anodize aluminum frame, fix handrest, solid castor, solid rear wheel with break, plastic seat

**MAIN PARAMETERS (CM)**

MODEL NO.										CTNS 20' FCL	CTNS 40' HQ FCL
	W	D	W	D	H	H	(kg)	MM	NW GW		
CCWR09	64	44	58	20	50	87	100	92x29x89	19 22	120	244
CCWR10	55	44	12.5	12.5	5.5	112	100	78x57x71.5	15.5 20	48	104
CCWC02	55	44	12.5	12.5	51	88	100	54x33x56	10.5 12.7	160	320
CCWC21	60	49	7.5	10	51	90	100	64x22.5x96	8.3 10	180	378
CCWC12	54	44	10	10	43	92-97	100	53x42x53	11 12.3	180	378
CCWC13	55	44	12.5	12.5	51	88	100	54x53x53	12 14.2	160	320